

Issue Date: 15-Jun-2015

Review Date: 15-Mar-2018

Version 1

1. IDENTIFICATION

Product Identifier

Product Name HYDRAULIC OIL AW 46

Other means of identification

SDS #

Item # F-8464-55

F-8464-275

Recommended use of the chemical and restrictions on use

Recommended Use Anti-wear R& O hydraulic fluid

Details of the supplier of the safety data sheet

Supplier Address

Ashburn Chemical Technologies
 7403 Wright Rd
 Houston, TX 77041

Emergency Telephone Number

Company Phone Number

832-399-1000

Emergency Telephone (24 hr)

INFOTRAC 1-352-323-3500 (International)
 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance transparent

Physical State Liquid

Odor Mild petroleum odor

Classification

This product is classified under OSHA HazCom 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows

Acute toxicity - Inhalation (Dusts/Mists)

Category 4

Signal Word

WARNING

Hazard Statements

H332 Harmful if inhaled



Precautionary Statements - Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P271 Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Hydrotreated naphthenic & paraffinic distillates blend	64742-53-6 64742-52-5	90-100
Proprietary Additives	Proprietary	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove from further exposure. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. Seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation.
Ingestion	Do not induce vomiting without medical advice. Seek immediate medical attention/advice.

Most important symptoms and effects

Symptoms	May cause respiratory tract irritation.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable / Unsuitable Extinguishing Media	Use water fog, foam, dry chemical, alcohol resistant foam or carbon dioxide (CO2) DO NOT use straight streams of water (could cause fire to spread).
Specific Hazards Arising	In a fire or if heated, a pressure increase will occur and the container may burst. A mixture of airborne solids, liquids and gases including smoke, fumes, carbon monoxide, carbon dioxide and unidentified organic compounds will be evolved when this material undergoes combustion
Hazardous Combustion Products	Smoke, Fume, Incomplete combustion products, Oxides of carbon.
Protective equipment / Precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
General Fire Hazard	Flammability Class: OSHA Class III-B, Combustible Liquid, 29 CFR 1910.106(a)

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Do not breathe dust/fume/gas/mist/vapors/spray. See SECTION 8 for Personal Protective Equipment.
-----------------------------	---

Environmental Precautions Prevent entry into drains, waterways, rivers, lakes, sewers, basements or confined areas. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. See SECTION 12 for Ecological Information

Methods for Clean-Up Absorb or cover with dry earth, sand or other non-combustible material. Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. See SECTION 13 for Waste Disposal

7. HANDLING AND STORAGE

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing fumes, vapors, mists, spray. Wash face, hands, and any exposed skin thoroughly after handling. See SECTION 8 for Personal Protection. See SECTION 2 for Precaution Statements.

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not store in open or unlabeled containers. Store away from heat and open flame. Storage temperature 5-40°C (41-104°F).

Incompatible Materials Oxidizing agents. Strong alkalis. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH	OSHA	NIOSH
Hydrotreated naphthenic & paraffinic distillates	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³	STEL: 10 mg/m ³ 15 min

Legend: *ACGIH: American Conference of Governmental Industrial Hygienists* *TLV: Threshold Limit Value*
OSHA: Occupational Safety and Health Administration *PEL: Permissible Exposure Limit*
NIOSH: National Institute for Occupational Safety and Health *STEL: Short Term Exposure Limit*
TWA: Time weight average

Appropriate engineering controls

Engineering Controls Adequate ventilation to keep airborne concentration of vapors below the threshold limit value. Maintain eye wash fountain and quick-drench facilities in work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side shields are recommended.

Skin and Body Protection Chemical, and oil resistant clothing is recommended.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing and launder before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid		
Appearance	Clear		
Color	Amber / Golden-brown	Odor	Mild petroleum odor
		Odor Threshold	Not determined
Property	Values	Remarks • Method	
pH	N/A		
Melting Point/Freezing Point			
Boiling Point/Boiling Range	> 224 °C / > 435 °F	ASTM D-2887	
Flash Point	> 185 °C / > 365 °F	Cleveland Open Cup ASTM D-92	
Auto-ignition temperature	> 315 °C / > 600 °F	ASTM E-659	
Evaporation Rate	< 1		
Upper / Lower Flammability Limits	Not determined		
Upper/lower Explosive Limit	Not determined		
Vapor Pressure	Not determined		
Vapor Desitiy	> 5		
Relative Density	7.4-7.5 lb/gal	(20°C) ASTM D-4052	
Specific Gravity	0.80-0.90		
Water Solubility	Insoluble		
Solubility in other solvents	Not determined		
Viscosity	43.0 cSt (appx 205 SUS @ 37.7°C/100°F)	@ 40°C ASTM D-445	
Partition Coefficient	Not determined	n-octanol / water	

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	Stable under recommended storage conditions.
Conditions to Avoid	Incompatible Materials. Heat, flame.
Incompatible Materials	Oxidizing agents. Strong acids.
Hazardous Decomposition Products	Thermal decomposition and combustion are not expected to occur except under extreme conditions.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye Contact	May cause eye irritation with discomfort, tearing, or blurring of vision..
Skin Contact	Frequent or prolonged contact may cause redness and irritation.
Inhalation	Prolonged inhalation may be harmful. Hot vapors may cause respiratory irritation.
Ingestion	May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrotreated naphthenic & paraffinic distillates	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Acute Toxicity	ATE (LC50) Oral: 0 mg/kg dermal: 0 mg/kg Inhalation (vapour/mist) : 1.5 mg/l
Chronic Effects	Prolonged inhalation may be harmful
Carcinogenicity	The highly refined mineral oil contains <3% DSMO extract as measured by IP 346, hence the classification of a carcinogen need not apply.
Numerical measures of toxicity	Not determined
Unknown Acute Toxicity	Not determined.

12. ECOLOGICAL INFORMATION

<u>Ecotoxicity</u>	This material maybe toxic to aquatic organisms and should be keep out from sewage, drainage system, and all bodies of water.
Persistence/Degradability	Not inherently biodegradable.
Bioaccumulation	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Mobility	Liquid under most environmental conditions. Floats on water. If entered soil, it will adsorb to soil particles and will not be mobile.
Other Adverse Effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated.
IMDG	Not regulated.

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Hydrotreated naphthenic & paraffinic distillates	X	X		X		X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**CERCLA**

This material does not contain a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 255)

SARA 311/312 Hazard Categories Acute Health Hazard**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

California Proposition 65

This product does not contain any Prop 65 Chemicals

New Jersey

Chemical Name	New Jersey	Massachusetts	Pensilvania
Hydrotreated naphthenic & paraffinic distillates	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards**

1

1

0

Not determined

HMIS**Health Hazards****Flammability****Physical Hazards****Personal Protection**

1

1

0

Not determined

Issue Date:

15-Jun-2015

Review and Update

15-Mar-2018

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet